DATE OF COMPILATION: 01.09.2019R.

REVISION: -

**VERSION NUMBER: 1.0** 

Safety data sheet in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. PRODUCT IDENTIFIER

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Designation: Toilet block on the basis of surface-active agents and fragrant component

with addition a chemical compound containing chlorine.

Contains: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; Sulfuric acid, mono-C12-18-alkyl esters,

sodium salts; Sulfonic acids, C14-16 (evennumbered)-alkane hydroxy and C14-16 (even numbered)-

alkene, sodium salts.

# 1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses: Product for cleaning and refreshing toilet bowls.

# 1.3. <u>DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:</u>

Manufacturer: "Pol-Hun" M. BIELSKA Sp. J.

Address: 11 Listopada 65, 95-040 Koluszki, Poland

**Telephone:** +48 (44) 725 30 00

E-mail address for a person responsible for the SDS: polhun@polhun.pl

### 1.4. EMERGENCY TELEPHONE NUMBER

+48 (44) 725 30 19 (LABORATORY "**Pol-Hun" M. Bielska Sp. J.** (available during working days from 700 a.m. up 2000 p.m.)

### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The mixture is classified according to REGULATION (EC) No 1272/2008 as:

Eye Dam. 1 - Eye Damage of category 1 with hazard statement: H318 Causes serious eye damage.

Skin Irrit. 2 - Skin Irritation of category 2 with hazard statement:

H315 Causes skin irritation.

Aquatic Chronic 3 - Hazardous to the aquatic environment – Chronic Hazard of category 3 with hazard statement:

H412 Harmful to aquatic life with long lasting effects.

### 2.2. <u>LABEL ELEMENTS</u>

### Hazard pictogram:

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01



Signal word: Danger

### **Hazard statements:**

H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary Statements:**

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves and eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P501 Dispose of contents/container to an authorized waste collection point.

Contains: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; Sulfuric acid, mono-C12-18-alkyl esters, sodium salts; Sulfonic acids, C14-16 (evennumbered)-alkane hydroxy and C14-16 (even numbered)-alkene,

sodium salts.

### Supplemental label elements:

EUH208 Contains: Cineole, p-Mentha-1,4(8)-diene, Limonene. May produce an allergic reaction.

EUH031: Contact with acids liberates toxic gas.

EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

### Detergent labeling according to Detergent Regulation 648/2004/EC:

**Constituents:** anionic surfactants >30%; non-ionic surfactants <5%; chlorine-based bleaching agents <5%; perfumes, Limonene.

### 2.3. OTHER HAZARDS

The ingredients of mixture do not meet the criteria for PBT and vPvB.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. SUBSTANCES

not applicable.

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

# 3.2. MIXTURES

Hazard substances and substances for which there are Community workplace exposure limits:

Substance name	Concentr ation (% m/m)	Number CAS	Number WE	Number registration	Classification in accordance with Directive (WE) nr 1272/2008
Benzenesulfonic acid, C10-	15 - 25	68411-30-3	270-115-0	01-2119489428-22-xxxx	Acute Tox. 4; H302
13-alkyl derivs., sodium salts					Eye Dam. 1; H318
					Skin Irrit. 2; H315
					Aquatic Chronic 3; H412
Sulfuric acid, mono-C12- 18-alkyl esters, sodium	1-10	68955-19-1	273-257-1	01-2119490225-39-xxxx	Skin Irrit. 2, H315
salts					Eye Dam. 1, H318
					Aquatic Chronic 3; H412
Sulfonic acids, C14-16	1 - 10	68439-57-6	270-407-8	01-2119513401-57-xxxx	Eye Dam. 1, H318
(even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts			[931-534-0]		Skin Irrit. 2, H315
Amides, C12-18(even-	1 – 2	90622-77-8	292-481-0	01-2119489413-33-xxxx	Skin Irrit. 2, H315
numbered) and C18(unsatd.), N-			[931-338-5]		Eye Dam. 1, H318
hydroxyethyl					Aquatic Chronic. 2; H411
Alcohols, C12-14,	0,1-1,0	68891-38-3	500-234-8	01-2119488639-16-xxxx	Eye Dam. 1; H318
ethoxylated, sulfates, sodium salts					Skin Irrit. 2; H315
					Aquatic Chronic 3; H412
Sodium dichloroisocyanurate	0,1 – 1,0	51580-86-0	220-767-7	01-2119489371-33-xxxx	Acute Tox. 4, H302
dihydrate					Eye Irrit. 2, H319
					STOT SE 3, H335
					Aquatic Acute 1, H400
					Aquatic Chronic 1, H410
Cineole (ingredient of	0,2 - 0,6	470-82-6	207-431-5	01-2119967772-24-xxxx	Flam. Liq. 3; H226
fragrance)					Skin Sens. 1B; H317
p-Mentha-1,4(8)-diene (ingredient of fragrance)	0,1 - 0,3	586-62-9	209-578-0	01-2119982325-32-xxxx	Skin Sens. 1B; H317
(ingredient of fragrance)					Asp. Tox. 1; H304
					Aquatic Acute 1; H400
					Aquatic Chronic 1; H410

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

Limonene (ingredient of	0,1 - 0,2	5989-27-5	227-813-5	01-2119529223-47-xxxx	Flam. Liq. 3; H226
fragrance)					Skin Irrit. 2; H315
					Skin Sens. 1B; H317
					Asp. Tox. 1; H304
					Aquatic Acute 1; H400
					Aquatic Chronic 1; H410

Full texts of hazard statements is listed in section 16.

### **SECTION 4: FIRST AID MEASURES**

### 4.1 <u>DESCRIPTION OF FIRST AID MEASURES</u>

### Inhalation:

- no an inhalation hazard under normal conditions of use;

### Eye:

- flush with plenty of water for at least 10-15 minutes with the eyelids held wide open, avoid strong stream of water, which can cause cornea injury;
- do not use any medicines before getting medical attention;
- remove any contact lenses;
- seek medical attention;

### Skin:

- remove contaminated clothing;
- flush with plenty of water;
- seek medical advice.

### **Ingestion:**

- rinse mouth with plenty of water;
- do not induce vomiting;
- if vomiting occurs, the head should be kept low so that the vomit does not enter the lungs (aspiration);
- seek medical attention.

# 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED

- inhalation none;
- skin contact irritation, redness;
- eye contact serious eye damage, irritation, pain, watering, redness;
- ingestion irritant to mouth, throat and stomach.

## 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available.

# **SECTION 5. FIREFIGHTING MEASURES**

# 5.1. EXTINGUISHING MEDIA

Suitable extinguishing media: extinguishing dry chemical powder, foam. Unsuitable extinguishing media: direct water jet.

### 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Combustion products: sulphur oxides and carbon oxides, chlorine. The mixture contains **Sodium** dichloroisocyanurate dihydrate, which is high reactive compound and supports burning processes.

### 5.3. ADVICE FOR FIREFIGHTERS

Wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. <u>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</u> For non-emergency personnel:

- avoid contact with skin and eyes;
- wear chemical protection gloves and suits;
- wear appropriate goggles.

### For emergency responders:

Suitable fabric for personal protective clothing:

- appropriate: gloves nitrile rubber, neoprene, PVC, according to EN 374; suitability and durability of
  gloves is dependent on application, frequency, duration of contact, chemical resistance of glove
  material.
- not appropriate: no data.

### 6.2. ENVIRONMENTAL PRECAUTIONS

- keep away from drains, surface- and ground-water and soil.

# 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

- clean up spillage promptly:
- collect free product and transfer it to suitable tanks or containers for safe disposal;
- dispose of according to the local regulations.

### 6.4. REFERENCE TO OTHER SECTIONS

Information regarding safe handling – see section 7.

### **SECTION 7: HANDLING AND STORAGE**

# 7.1. PRECAUTIONS FOR SAFE HANDLING

- handle in accordance with good manufacturing practices and personal hygiene;
- avoid contact with skin and eyes;
- wash hands after use;
- wash any exposed skin immediately after any chemical contact;
- do not eat, drink and smoke in work areas;
- remove contaminated clothing and protective equipment before entering eating areas;
- wear protective equipment.

### 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- store in a cool (5°C -35°C), dry, well ventilated area;
- keep containers upright and tightly closed;
- keep away from food, oxidising substances, acids.

## 7.3. SPECIFIC END USE(S)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. CONTROL PARAMETERS

### Substances with national occupational exposure limits:

Substance name and CAS number	OEL-TWA		STEL		Country
	ррт	mg/m³	ррт	mg/ m³	
Titanium dioxide (total dust) [13463-67-7]	-	10	-	-	[PL ]

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

d-Limonene [5989-27-5]	5	28	20	110	[DE]
------------------------	---	----	----	-----	------

The mixture does not contain substances with the national occupational exposure limit values that correspond to Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Commission Decision 2014/113/EU;

The mixture does not contain substances with the national occupational exposure limit values that correspond to Union limit values in accordance with Directive 2004/37/EC, including any notations as referred to in Article 2(3) of Decision 2014/113/EU;

The mixture does not contain substances with the national biological limit values that correspond to Union biological limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Decision 2014/113/EU:

# <u>DNEL (Derived No Effect Level)</u> <u>VALUES determined for Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:</u>

Exposure time	Population	Route of exposure	Value
Long-term	Workers	dermal	170 mg/kg bw/day
Long-term	Workers	inhalation	12 mg/m³
Long-term	Consumers	oral	0,85 mg/kg bw/day
Long-term	Consumers	dermal	85 mg/kg bw/day
Long-term	Consumers	inhalation	3 mg/m <sup>3</sup>

# <u>DNEL (Derived No Effect Level)</u> <u>Values determined for Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:</u>

Exposure time	Population	Route of exposure	Value
Long-term	Workers	dermal	4060 mg/kg bw/day
Long-term	Workers	inhalation	285 mg/m <sup>3</sup>
Long-term	Consumers	oral	24 mg/kg bw/day
Long-term	Consumers	dermal	2440 mg/kg bw/day
Long-term	Consumers	inhalation	85 mg/m <sup>3</sup>

# <u>DNEL (Derived No Effect Level) Values determined for Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkane, sodium salts CAS No [68439-57-6]:</u>

Exposure time	Population	Route of exposure	Value
Long-term systemic	Workers	dermal	2158.33 mg/kg bw/day
Long-term	Workers	inhalation	152.22 mg/m³
Long-term	Consumers	dermal	1295 mg/kg bw/day
Long-term	Consumers	oral	12.95 mg/kg bw/day

# DNEL (Derived No Effect Level) Values determined for Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Exposure time	Route of exposure	DNEL	
		Workers	Consumers
Long-term	dermal	4,16 mg/kg	2,5 mg/kg

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

oral	-	6,25 mg/kg
inhalation	73,4 mg/m <sup>3</sup>	21,73 mg/ m <sup>3</sup>

# <u>DNEL (Derived No Effect Level)</u> <u>VALUES determined for Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS: [68891-38-3]:</u>

Exposure time	Population	Route of	Value
		exposure	
Long-term, systemic	Workers	dermal	2750 mg/kg b. w./day
Long-term, local	Workers	inhalation	175 mg/m <sup>3</sup>
Long-term, systemic	Consumers	dermal	1650 mg/kg b. w./day
Long-term, systemic	Consumers	inhalation	52 mg/m <sup>3</sup>
Long term, systemic	Consumers	oral	15 mg/kg

# PNEC Values (Predicted No Effect Concentration) for Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

- aquatic environment sweet water : 0.268 mg/L;
- aquatic environment marine water: 0,0268 mg/L;
- soil: 35 mg/kg;
- sediment in sweet water: 8,1 mg/kg dwt;
- sediment in marine water: 6,8 mg/kg dwt.

# <u>PNEC Values (Predicted No Effect Concentration) for Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:</u>

- aquatic environment sweet water : 0.098 mg/L;
- aquatic environment marine water: 0,0098 mg/L;
- soil: 0,631mg/kg;
- sediment in sweet water: 0,345 mg/kg;
- sediment in marine water: 3,45 mg/kg.

# PNEC Values (*Predicted No Effect Concentration*) for Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkane, sodium salts CAS No [68439-57-6]:

- aquatic environment sweet water : 0.024 mg/L;
- aquatic environment marine water: 0,0024 mg/L;
- soil: 1,21mg/kg;
- sediment in sweet water: 0,767 mg/kg;
- sediment in marine water: 0.0767 mg/kg.

# PNEC Values (*Predicted No Effect Concentration*) for Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

- aquatic environment sweet water : 0.007 mg/L;
- aquatic environment marine water: 0,0007 mg/L;
- soil: 0,12444mg/kg;
- sediment in sweet water: 0,261 mg/kg;
- sediment in marine water: 0.0261 mg/kg.

# PNEC Values (Predicted No Effect Concentration) for Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS: [68891-38-3]

- aquatic environment sweet water : 0.24 mg/L;
- aquatic environment marine water: 0,024 mg/L;
- soil: 0,946 mg/kg dwt;
- sediment in sweet water: 5,45 mg/kg dwt;
- sediment in marine water: 0,545 mg/kg dwt.

### 8.2. EXPOSURE CONTROLS

### Personal protective equipment:

**TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE** Trade name:

Manufacturer: "Pol – Hun" M. Bielska Sp. j. 11-listopada 65, 95-040 Koluszki Address: Telephone/Fax +48 (44) 725 30 00 / 725 30 01

## **Respiratory protection:**

is not required during normal operations in a workplace.

# Eye protection:

use protective goggles if eye contact might occur.

# Skin protection:

in case of long contact with product use protective gloves (nitrile rubber, neoprene, PVC) according to EN 374.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Physical state solid

Colour: white and blue Odour: characteristic, ocean Odour threshold: not determined

pH: 6.0 - 10.0 (1% solution)

Melting point/freezing point: not determined Initial boiling point and boiling range: not determined Flash point: not applicable Evaporation rate: not determined Flammability (solid, gas): not combustible Upper/lower flammability or explosive limits: not applicable Vapour pressure: not determined Vapour density: not determined Relative density: not determined Solubility(ies): soluble in water; Partition coefficient: n-octanol/water: not determined Auto-ignition temperature: not applicable Decomposition temperature: no data for product; Viscosity: not applicable not applicable Explosive properties: not applicable

#### 9.2. OTHER INFORMATION

No data available.

Oxidising properties:

### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. **REACTIVITY**

The reactivity hazards of mixture has not been tested. The mixture contains Sodium dichloroisocyanurate dihydrate, which is high reactive compound and supports burning processes.

#### 10.2 **CHEMICAL STABILITY**

Product is stable under recommended conditions of storage.

# **POSSIBILITY OF HAZARDOUS REACTIONS**

The mixture contains Sodium dichloroisocyanurate dihydrate, when mix it with acids or products containing acids may release dangerous gases - chlorine.

### **CONDITIONS TO AVOID**

Keep away from humidity, temperature above 50°C; keep away from sources of heat and sources of fire.

#### 10.5. **INCOMPATIBLE MATERIALS**

Strong mineral acids.

#### HAZARDOUS DECOMPOSITION PRODUCTS 10.6.

Sulphur oxides, chlorine.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### INFORMATION ON TOXICOLOGICAL EFFECTS 11.1.

Acute toxicity:

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

ATE mix (oral) = 4080 mg/kg. (calculated according point 3.1.3.6.1. Annex I of Regulation CLP 1272/2008).

Acute toxicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No[68411-30-3]:

LD50 (oral): 1020 mg/kg (rat);

Acute toxicity of - Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

LD50 (oral): ~ 2600 mg/kg (rat).

Toxicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS

No [68439-57-6]:

LD50 (oral): 2079 mg/kg (rat);

LD50 (dermal): 6300-13500mg/kg (rabbit); LC50 (inhalation): >52 mg/l/4hours (rat).

Acute toxicity of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

LD50 (oral): >5000 mg/kg (rat). LD50 (dermal): >2000 mg/kg (rabbit).

Acute toxicity of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

LD50 (oral): 4100 mg/kg (rat, literature data).

LD50 (dermal): >5000 mg/kg (rabbit, literature data).

Acute toxicity of Sodium dichloroisocyanurate dihydrate:

LD50 (oral): 1400mg/kg (rat); LD50 (dermal): >5000mg/kg (rabbit).

# **Skin corrosion/irritation:**

The mixture has not been tested. Based on the available data of the ingredients the mixture is classified as - Causes skin irritation.

Irritant effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Causes skin irritation. (test OECD 404, rabbit).

Irritant effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Causes skin irritation.

Irritant effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 404 Acute Dermal Irritation/Corrosion – rabbit- Causes skin irritation.

Irritant effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Causes skin irritation.

Irritant effect of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

- skin: causes irritation (rabbit, test OECD 404).

Irritant effect of Sodium dichloroisocyanurate dihydrate:

-skin: the substance is not classified as irritant to skin.

### Serious eye damage/eye irritation:

The mixture has not been tested. Based on the available data of the ingredients the mixture is classified as - Causes serious eye damage.

Irritant effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No[68411-30-3]:

Causes serious eye damage (test OECD 405, rabbit).

Irritant effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Causes serious eye irritation.

Irritant effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 405 Acute Eye Irritation (rabbit) – causes eye damage.

Irritant effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Causes serious eye damage.

Irritant effect of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

- eyes: causes burns (rabbit, test OECD 405).

<u>Irritant effect of Sodium dichloroisocyanurate dihydrate:</u>

- eyes: high eye irritation.

## Respiratory or skin sensitization:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met, but the mixture contains: Cineole, p-Mentha-1,4(8)-diene, Limonene, may produce an allergic reaction. Skin sensitization of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No[68411-30-3]:

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

Not classified (test OECD 406, guinea pig).

Sensitization effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Not classified.

Sensitization effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkane, sodium salts CAS No [68439-57-6]:

Test OECD 406 skin sensitization (dermal, guinea pig), result - has no sensitization properties.

Sensitization effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Not classified.

Sensitization effect of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

has no sensitization properties (test OECD 406, guinea pig).

### Germ cell mutagenicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Mutagenicity effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Test OECD 471 Bacterial Reverse Mutation test – result: negative.

Test OECD 476 In vitro Mammalian Cell Gene Mutation test – result: negative.

Test OECD 473 In vitro Mammalian Chromosomal Aberration test – result: negative.

Mutagenicity effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Not classified.

Mutagenicity effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 471 Bacterial Reverse Mutation Test, result- negative;

Test OECD 476 In vitro Mammalian Cell Gene Mutation Test, result- negative;

Test OECD 473 In vitro Mammalian Chromosomal Aberration Test, result- negative.

Mutagenicity effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Ames test - result - negative.

Mutagenicity effect of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

has no mutagenicity effect, tests in vitro and in vivo (literature data).

## **Carcinogenicity:**

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Carcinogenicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts No CAS [68411-30-3]:

No known significant effects or critical hazards.

Mutagenicity effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Not classified.

<u>Carcinogenicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:</u>

Test – rat – exposure time: 2 years (oral), result- negative.

Test - mouse - exposure time : 92 weeks (3 days in week, dermal), result- negative.

Carcinogenicity of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Not classified.

Carcinogenicity of Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS No [68891-38-3]:

Not classified.

### Reproductive toxicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Reproductive toxicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Test OECD 416 Two-Generation Reproduction Toxicity Study (rat) – oral: NOAEL: 350 mg/kg bw/day.

Reproductive toxicity of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Not classified.

Reproductive toxicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No[68439-57-6]:

Test OECD 414 Prenatal Developmental Toxicity Study, rabbit, result: 2 mg/kg NOAEL.

Reproductive toxicity of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3];

Not classified.

### STOT - single exposure:

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

### Sodium dichloroisocyanurate dehydrate:

May cause respiratory irritation.

### STOT - repeated exposure:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

# **Aspiration hazard:**

Not applicable, the mixture is solid.

### **Routes of exposure**

The mixture has not been tested – no available data.

### Symptoms related to the physical, chemical and toxicological characteristics:

inhalation - none;

skin contact - irritation, redness and pain of skin;

eye contact - serious damage to eyes; irritation, pain, watering, redness;

ingestion - irritant to mouth, throat and stomach, may cause nausea, vomiting.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure:

No available data.

### **Interactive effects:**

No available data.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. TOXICITY

The mixture has not been tested. Based on the available data of the ingredients the mixture is classified as - Harmful to aquatic life with long lasting effects.

Toxicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Fish - LC50: 1-5 mg/L/96h; Algae- EC50: 29 mg/L/96h; Daphnia - EC50: 1-5 mg/L/48h.

Long term study: NOEC (Fish, 28-196 days): 0,23 – 3,2 mg/L Long term study: NOEC (Algae, 15-28 days): 3,1 – 4,0 mg/L. Long term study: NOEC (Daphnia, 2-32 days): 0,59 – 4,5mg/L.

Acute toxicity of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Fish – **LC50: 17 mg/L**/96h.- (*Cyprinus carpio*). Daphnia – EC50: 15mg/L/48h (*Daphnia magna*).

Algae - ERC50: >20mg/L/72h.

# Acute toxicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test ISO 10253:2006 - Marine algal growth inhibition test with Skeletonema costatum and Phaeodactylum tricornutum EC50: 5,2mg/L/72 hours.

Test OECD 202 Daphnia sp. Acute Immobilisation Test, EC50: 4,53 mg/L/48hours.

Test OECD 209 Activated Sludge, Respiration Inhibition Test, IC50: 230 mg/L/3 hours, bacteria.

Test OECD 203 Fish, Acute Toxicity Test, LC50: 4,2 mg/L/96 hours.

# Acute toxicity of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Fish – LC50: 10-100 mg/L – method ISO 7346/2 (semistatic).

Daphnia - EC50: 10-100 mg/L - method OECD 202.

Algae- EC50: 1-10 mg/L - method: OECD 201/DIN 38412.

Bacteria - EC0: >100mg/L - method OECD 209.

# Toxicity of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

Fish – LC50: 1 – 10 mg/l (test OECD 203); Daphnia – EC50: 1 – 10 mg/l/48h (test OECD 202); Algae– EC50: 10 – 100 mg/l/72h (test OECD 201);

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

NOEC: 1,2mg/l (Fish, QSAR, literature data);

NOEC: 0,1 – 1,0 mg/l (Daphnia, 21 days, OECD 211, literature data).

### 12.2. PERSISTENCE AND DEGRADABILITY

The mixture has not been tested - no available data.

# Persistence and degradability of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Biodegradation: >99%, (OECD Screening test 301D and 303A);

Biodegradation: readily biodegradable in the OECD 301B CO<sub>2</sub> Evolution test: 85% biodegradability in 29 days.

Ready Biodegradability:>70% (OECD 301D);

Ready Biodegradability: >60% Oxygen uptake (OECD 301F);

Inherent test: 95-98% (OECD 302 A, B); Simulation test: 80-95% (OECD 303A).

# Persistence and degradability of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Readily biodegradable > 93% (28 days).

# Persistence and degradability of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkane, sodium salts CAS No [68439-57-6]:

Readily biodegradable.

# Persistence and degradability of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Readily biodegradable.

### Biodegradation of Alcohols, C12-14, ethoxylated, sulfates, sodium salts No CAS [68891-38-3]:

70% after 28 days (test OECD 301A).

### 12.3. BIOACCUMULATIVE POTENTIAL

The mixture has not been tested - no available data.

Bioaccumulative potential of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

BCF: 2-1000. It is not bioaccumulative.

Bioaccumulative potential of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

BCF: -2,1 (OECD 107).

Bioaccumulative potential of Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS No [68439-

57-6]:

LogPow: -1,3; BCF: 70,8;

It has low potential to accumulate.

Bioaccumulative potential of Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS No [68891-38-3]:

LogPow: -1,38.

# 12.4. MOBILITY IN SOIL

The mixture has not been tested - no available data.

# 12.5. RESULTS OF PBT AND vPvB ASSESSMENT

The mixture has not been tested - no available data.

The components of mixture are not PBT and vPvB.

### 12.6. OTHER ADVERSE EFFECTS

The mixture has not been tested - no available data.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. WASTE TREATMENT METHODS

- dispose of according to local regulations;
- avoid disposing into drainage systems and into the environment;
- contaminated packaging dispose in the same way as the product itself.
- non-contaminated packages may be recycled

## **SECTION 14: TRANSPORT INFORMATION**

### ADR/RID/ADN/IMDG/IATA:

### 14.1. UN NUMBER: not applicable.

**TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE** Trade name:

Manufacturer: "Pol – Hun" M. Bielska Sp. j. 11-listopada 65, 95-040 Koluszki Address: Telephone/Fax +48 (44) 725 30 00 / 725 30 01

#### 14.2. UN PROPER SHIPPING NAME: not applicable.

#### 14.3. TRANSPORT HAZARD CLASS(ES): not applicable.

#### 14.4. PACKING GROUP: not applicable.

#### 14.5. **ENVIRONMENTAL HAZARDS:**

The mixture has not been tested - no available data.

### SPECIAL PRECAUTIONS FOR USER

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7. TRANSOPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE

Not applicable.

### **SECTION 15: REGULATORY INFORMATION**

The mixture is not subject to Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer, Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC or Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

#### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE 15.1 SUBSTANCE OR MIXTURE

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Council Directive 98/24/EC of 7 April 1998 on the protection of the health an ad safety of workers from the risks related to chemical

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission directive 2000/39/EC.

COMMISSION DIRECTIVE (EU) 2017/164 of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

# CHEMICAL SAFETY ASSESSMENT

The chemical safety assessment has not been carried out for the mixture.

### **SECTION 16: OTHER INFORMATION**

The classification of the mixture is based on:

- the category "acute toxicity" an additive method; the category "skin corrosion/irritation" an additive method;
- the category "serious eye damage/eye irritation" an additive method;
- the category "respiratory or skin sensitization" contents of sensitizing ingredients;
- the category "mutagenicity"- contents of classified ingredients;
- the category "carcinogenicity" contents of classified ingredients;
- the category "reproductive toxicity" contents of classified ingredients;

Trade name: TOILET BLOCK 4 IN 1 "Königliche Wäsche" ACTIVE CHLORINE

Manufacturer: "Pol – Hun" M. Bielska Sp. j.

Address: 11-listopada 65, 95-040 Koluszki
Telephone/Fax +48 (44) 725 30 00 / 725 30 01

the category "STOT repeated exposure" - contents of classified ingredients;

the category "STOT single exposure" - contents of classified ingredients;

the category "aspiration hazard" – an additive method;

the category 'ecotoxicological properties" – an additive method.

# Abbreviations and acronyms used in the safety data sheet:

PBT - Persistent, Bioaccumulative, Toxic;

vPvB - Very Persistent and very Bioaccumulative;

LD50 - Lethal Dose, 50%;

LC50 - Lethal Concentration 50%;

EC50 - half maximal effective concentration;

IC50 - half maximal inhibitory concentration;

OECD - Organization for Economic Cooperation and Development;

NOAEL - No Observed Adverse Effect Level;

NOEC - No Observed Effect Concentration;

BCF - bioconcentration factor.

logPow - octanol - water partition coefficient;

OEL - Occupational Exposure Limit;

TWA - Eight - hour Time Weighted Average;

STEL - Short Term Exposure Limit.

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID – Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

IMDG - International Maritime Dangerous Goods Code.

IATA – International Air Transport Association.

# <u>List of hazard statements and precautionary statements which are not written out in full under</u> Sections 2 to 15:

Flam. Liq. 3
Acute Tox. 4
Eye Dam. 1
Eye Irrit. 2
Skin Irrit. 2
Skin Sens. 1B
Asp. Tox. 1
Flammable Liquid of category 3.
Acute Toxicity of category 4.
Eye Damage of category 1.
Eye Irritation of category 2
Skin Irritation of category 2.
Skin Sensitization of category 1B.
Aspiration hazard of category 1.

STOT SE 3 Specific target organ toxicity – single exposure of category 3.

Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard of category 1.

Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard of category 1.

Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard of category 2.

Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard of category 3.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. This document is neither a quality description of the product nor a guarantee of particular properties. The information are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change.